



STANDARD LIST,  
ADOPTED FEB. 1, 1899.  
SUPERCEDING ALL PREVIOUS LISTS.



Catalog No. 2.

1899.

—THE—

**DAY-WARD COMPANY**

MANUFACTURERS OF

...Baths and Heaters...

WARREN, O., U. S. A.

NEW YORK OFFICE,  
100 BEEKMAN STREET.







PRES'T,  
W. C. WINFIELD.

VICE PRES'T,  
A. G. WARD.

SEC'Y AND TREAS.,  
GEO. E. DAY.

**I**N ISSUING our second Catalog, we take occasion to thank the trade for past favors and to ask a share in future business.

We hope this list will be found attractive and useful enough to merit a place on your "buyer's desk." With enlarged facilities and up-to-date machinery and methods, we are prepared to furnish the most perfect and best finished sheet metal Baths and Heaters on the market.

We solicit your correspondence.

Yours truly,

THE DAY-WARD CO.

\*\*\*

... ESTABLISHED 1894 ...

4587842

1-26-79


TD. CAT.  
1899

Day-Ward


# No. 1. STEEL CASED.

COPPER LINED,

FRENCH PATTERN.



COMMON OVERFLOW.



CONNECTED WASTE AND OVERFLOW.



## Description.

### French Style No. 1 Bath.

Outside finish light olive, gold bronze trimmings, nickle overflow, strainer, plug and coupling.

Fitted for  $4\frac{1}{2}$  Fuller Cock,  $3\frac{3}{8}$  centres unless otherwise ordered.

Hardwood rim, oak or cherry, with cabinet finish.

## DIMENSIONS.

Length outside rim, 4 ft. 6 in; 5 ft. 3 in; 5 ft. 9 in; and 6 ft. Width outside rim, 26 inches. Depth inside, 20 inches. Height from floor, 26 inches.

## ORDER BY NUMBER.

# PRICE LIST.

### No. 1 Tubs—Common Overflow.

WEIGHT COPPER LINING	12 oz.	14 oz.	16 oz.
Size	No. 14	No. 16	No. 18
4 ft. 6 in.....	\$30 00	\$31 00	\$33 00
Size	No. 20	No. 22	No. 24
5 ft. 3 in.....	31 00	33 00	35 00
Size	No. 26	No. 28	No. 30
5 ft. 9 in.....	31 50	33 50	35 50
Size	No. 32	No. 34	No. 36
6 ft.....	33 00	35 00	37 00


### No. 1 Tubs—Connected Waste and Overflow.

WEIGHT COPPER LINING	12 oz.	14 oz.	16 oz.
Size	No. 14 A	No. 16 A	No. 18 A
4 ft. 6 in.....	\$31 50	\$32 50	\$34 50
Size	No. 20 A	No. 22 A	No. 24 A
5 ft. 3 in.....	32 50	34 50	36 50
Size	No. 26 A	No. 28 A	No. 30 A
5 ft. 9 in.....	33 00	35 00	37 00
Size	No. 32 A	No. 34 A	No. 36 A
6 ft.....	34 50	36 50	38 50


# No. 1. STEEL CASED.

COPPER LINED.

ROMAN PATTERN.



COMMON OVERFLOW.



CONNECTED WASTE AND OVERFLOW.



## Description.

### Roman Style No. 1 Bath.

Outside finish light olive, gold bronze trimmings, nickle overflow, strainer, plug and coupling.

Fitted for  $4\frac{1}{2}$  Fuller Cock,  $3\frac{3}{8}$  centres unless otherwise ordered.

Hardwood rim, oak or cherry, with cabinet finish.

## DIMENSTIONS.

Length outside rim, 4 ft; 4 ft. 6 in. and 5 ft. Width outside rim, 26 inches. Depth inside, 20 inches. Height from floor 26 inches.

## ORDER BY NUMBER.

# PRICE LIST.

### No. 1. Roman Style—Common Overflow.

WEIGHT COPPER LINING	12 oz.	14 oz.	16 oz.
Size	No. 15	No. 17	No. 19
4 ft.....	\$29 50	\$31 50	\$33 50
Size	No. 21	No. 23	No. 25
4 ft. 6 in.....	31 50	33 50	35 50
Size	No. 27	No. 29	No. 31
5 ft.....	33 50	35 50	37 50

### No. 1. Roman Style—Connected Waste and Overflow.

WEIGHT COPPER LINING	12 oz.	14 oz.	16 oz.
Size	No. 15 A	No. 17 A	No. 19 A
4 ft.....	\$31 00	\$33 00	\$35 00
Size	No. 21 A	No. 23 A	No. 25 A
4 ft. 6 in.....	33 00	35 00	37 00
Size	No. 27 A	No. 29 A	No. 31 A
5 ft.....	35 00	37 00	39 00

## No. 2. STEEL CASED.

COPPER LINED.

AMERICAN PATTERN.



COMMON OVERFLOW.



CONNECTED WASTE AND OVERFLOW.



## Description.

### American Style No. 2 Bath.

Outside finish light gray, gold bronze trimmings, nickle overflow, strainer, plug and coupling.

Fitted for  $4\frac{1}{2}$  Fuller Cock,  $3\frac{3}{8}$  centres unless otherwise ordered.

Hardwood rim, oak or cherry, with cabinet finish.

## DIMENSIONS.

Length outside rim, 4 ft. 6 in; 5 ft; 5 ft. 6 in. and 6 ft.  
Width outside rim, 28 inches. Depth inside,  $17\frac{1}{2}$  inches. Height from floor,  $23\frac{1}{2}$  inches.

## ORDER BY NUMBER.

# PRICE LIST.

### No. 2 Tubs—Common Overflow.

WEIGHT COPPER LINING	12 oz.	14 oz.	16 oz.
Size	No. 38	No. 46	No. 54
4 ft. 6 in.....	\$23 00	\$25 00	\$27 00
Size	No. 40	No. 48	No. 56
5 ft.....	24 00	26 00	28 00
Size	No. 42	No. 50	No. 58
5 ft. 6 in.....	25 00	27 00	29 00
Size	No. 44	No. 52	No. 60
6 ft.....	27 00	29 00	31 00


### No. 2 Tubs—Connected Waste and Overflow.

WEIGHT COPPER LINING	12 oz.	14 oz.	16 oz.
Size	No. 38 A	No. 46 A	No. 54 A
4 ft. 6 in.....	\$24 50	\$26 50	\$28 50
Size	No. 40 A	No. 48 A	No. 56 A
5 ft.....	25 50	27 50	29 50
Size	No. 42 A	No. 50 A	No. 58 A
5 ft. 6 in.....	26 50	28 50	30 50
Size	No. 44 A	No. 52 A	No. 60 A
6 ft.....	28 50	30 50	32 50


# No. 2. STEEL CASED.

COPPER LINED.

ROMAN PATTERN.



COMMON OVERFLOW.



CONNECTED WASTE AND OVERFLOW.



## Description.

### Roman Style No. 2 Bath.

Outside finish light gray, gold bronze trimmings, nickle overflow, strainer, plug and coupling.

Fitted for  $4\frac{1}{2}$  Fuller Cock,  $3\frac{3}{8}$  centres unless otherwise ordered.

Hardwood rim, oak or cherry, with cabinet finish.

## DIMENSIONS.

Length outside rim, 4 ft; 4 ft. 6 in; and 5 ft. Width outside rim, 28 inches. Depth inside  $17\frac{1}{2}$  inches. Height from floor,  $23\frac{1}{2}$  inches.

## ORDER BY NUMBER.

# PRICE LIST.

### No. 2. Roman Tubs—Common Overflow.

WEIGHT COPPER LINING.	12 oz.	14 oz.	16 oz.
Size	No. 33	No. 35	No. 37
4 ft.....	\$26 00	\$28 00	\$30 00
Size	No. 39	No. 41	No. 43
4 ft. 6 in.....	28 00	30 00	32 00
Size	No. 45	No. 47	No. 49
5 ft.....	30 00	32 00	34 00

### No. 2. Roman Style Connected Waste and Overflow.

WEIGHT COPPER LINING	12 oz.	14 oz.	16 oz.
Size	No. 38 A	No. 35 A	No. 37 A
4 ft.....	\$27 50	\$29 50	\$31 50
Size	No. 39 A	No. 41 A	No. 43 A
4 ft. 6 in.....	29 50	31 50	33 50
Size	No. 45 A	No. 47 A	No. 49 A
5 ft.....	31 50	33 50	35 50

# No. 3. GALVANIZED STEEL.

WHITE ENAMELED,

AMERICAN PATTERN.



COMMON OVERFLOW.



CONNECTED WASTE AND OVERFLOW.



## Description.

### American Style No. 3 Bath.

This Bath is made to meet the demand for a cheap, sanitary tub, and is of heavy galvanized steel, iron legs, and covered inside with four coats white enamel (baked on) giving a fine finish. The outside is painted light gray and the legs are bronzed.

Nickle overflow, strainer, plug and coupling.

Fitted for  $4\frac{1}{2}$  Fuller Cock,  $3\frac{3}{8}$  centres unless otherwise ordered.

Hardwood rim, oak or cherry, with cabinet finish.

## DIMENSIONS.

Length outside rim, 4 ft. 6 in; 5 ft; 5 ft. 6 in. and 6 ft. Width outside rim, 28 inches. Depth inside,  $17\frac{1}{2}$  inches. Height from floor,  $23\frac{1}{2}$  inches.

## ORDER BY NUMBER.

# PRICE LIST.

### No. 3 Tubs—Common Overflow.

Size	No. 0
4 ft. 6 in.....	\$18 00
Size	No. 2
5 ft.....	19 00
Size	No. 4
5 ft. 6 in.....	20 00
Size	No. 6
6 ft.....	23 00

### No. 3 Tubs—Connected Waste and Overflow.

Size	No. 0 A
4 ft. 6 in.....	\$19 50
Size	No. 2 A
5 ft.....	20 50
Size	No. 4 A
5 ft. 6 in.....	21 50
Size	No. 6 A
6 ft.....	24 50

# No. 3. GALVANIZED STEEL.

WHITE ENAMELED.

ROMAN PATTERN.



COMMON OVERFLOW.



CONNECTED WASTE AND OVERFLOW.



## Description.

### Roman Style No. 3 Bath.

This Bath is made to meet the demand for a cheap, sanitary tub, and is of heavy galvanized steel, iron legs, and covered inside with four coats white enamel, (baked on) giving a fine finish. The outside is painted light gray and the legs are bronzed.

Nickle overflow, strainer, plug and coupling.

Fitted for  $4\frac{1}{2}$  Fuller Cock,  $3\frac{3}{8}$  centres unless otherwise ordered.

Hardwood rim, oak or cherry, with cabinet finish.

## DIMENSIONS.

Length outside rim, 4 ft. and 4 ft. 6 inches. Width outside rim, 28 inches. Depth inside,  $17\frac{1}{2}$  inches. Height from floor,  $23\frac{1}{2}$  inches.

## ORDER BY NUMBER.

# PRICE LIST.

### No. 3. Roman Style—Common Overflow.

Size	No. 8
4 ft.....	\$21 00
Size	No. 10
4 ft. 6 in.....	22 00
Size	No. 12
5 ft.....	23 00

### No. 3. Roman Style—Connected Waste and Overflow.

Size	No. 8 A
4 ft.....	\$22 50
Size	No. 10 A
4 ft. 6 in.....	23 50
Size	No. 12 A
5 ft.....	24 50

**SOLID COPPER.**

**AMERICAN PATTERN.**



**COMMON OVERFLOW.**



**CONNECTED WASTE AND OVERFLOW.**



## Description.

### American Style Solid Copper Baths.

Made of heavy cold rolled tinned and planished copper, polished inside. The outside is painted light gray or lacquered and the legs are bronzed.

Nickle overflow, strainer, plug and coupling.

Fitted for  $4\frac{1}{2}$  Fuller Cock,  $3\frac{3}{8}$  centres unless otherwise ordered.

Hardwood rim, oak or cherry, with cabinet finish.

## DIMENSIONS.

Length outside rim, 4 ft. 6 in; 5 ft; 5 ft. 6 in. and 6 ft.  
Width outside rim, 28 inches. Depth inside,  $17\frac{1}{2}$  inches Height from floor,  $23\frac{1}{2}$  inches.

## ORDER BY NUMBER.

# PRICE LIST.

### Solid Copper—Common Overflow.

Size	No. 72
4 ft. 6 in.....	\$24 50
Size	No. 74
5 ft.....	24 50
Size	No. 76
5 ft. 6 in.....	27 50
Size	No. 78
6 ft.....	30 50

### Solid Copper—Connected Waste and Overflow.

Size	No. 72 A
4 ft 6 in.....	\$26 00
Size	No. 74 A
5 ft.....	26 00
Size	No. 76 A
5 ft. 6 in.....	29 00
Size	No. 78 A
6 ft.....	32 00

# SOLID COPPER.

## ROMAN PATTERN.



COMMON OVERFLOW.



CONNECTED WASTE AND OVERFLOW.



## Description.

### Roman Style Solid Copper Baths.

Made of heavy coldrolled tinned and planished copper, polished inside. The outside is painted light gray or lacquered and the legs are bronzed.

Nickle overflow, strainer, plug and coupling.

Fitted for  $4\frac{1}{2}$  Fuller Cock,  $3\frac{3}{8}$  centres unless otherwise ordered.

Hardwood rim, oak or cherry, with cabinet finish.

## DIMENSIONS.

Length outside rim, 4 ft; 4 ft. 6 in. and 5 ft. Width outside rim, 28 inches. Depth inside,  $17\frac{1}{2}$  inches. Height from floor,  $23\frac{1}{2}$  inches.

## ORDER BY NUMBER.

# PRICE LIST.

### Solid Copper—Roman Style—Common Overflow.


Size	No. 100
4 ft.....	\$26 50
Size	No. 102
4 ft. 6 in.....	29 50
Size	No. 104
5 ft.....	32 50

### Solid Copper—Roman Style—Connected Waste and Overflow.


Size	No. 100 A
4 ft.....	\$28 00
Size	No. 102 A
4 ft. 6 in.....	31 00
Size	No. 104 A
5 ft.....	34 00

# HOSPITAL BATHS.

6 inch Rubber Tire Wheels. Fitted at Back with Open Way Valve  
and Hose Connection for Draining.



STEEL CASED, COPPER LINED.



SOLID COPPER.



## Description.

### Portable Hospital Baths.

#### STEEL CLAD COPPER LINED AND SOLID COPPER.

The iron trucks are securely attached and the wheels fitted with rubber tires.

Hardwood rim, oak or cherry, with cabinet finish or nickel-plated metal rim if wanted.

Regular size wheels 6 in. in diameter, 12 in. wheels extra if wanted.

These tubs can be turned in their own length.

Outside finish, light gray, gold bronze trimmings.

## DIMENSIONS.

Length outside rim, 4 ft; 4 ft. 6 in; 5 ft; 5 ft. 6 in. and 6 ft.  
Width outside rim, 28 inches. Depth inside, 17½ inches. Height from floor with 6 in. wheels, 28½ in., with 12 inch wheels, 31½ in.

## ORDER BY NUMBER.

# PRICE LIST.

### Steel Cased, Copper Lined Hospital Baths.

#### Six Inch Wheels.

		WEIGHT, COPPER, 12 oz.	14 oz.	16 oz.
Size				
4 ft.....	No. 62.....	\$20 00	\$31 00	\$33 00
Size				
4 ft. 6 in.....	No. 64.....	20 00	31 00	33 00
Size				
5 ft.....	No. 66.....	20 50	31 50	33 50
Size				
5 ft. 6 in.....	No. 68.....	30 00	32 00	34 00
Size				
6 ft.....	No. 70.....	32 00	34 00	36 00

### Solid Copper Hospital Baths—Six Inch Wheels.


Size	No. 90
4 ft.....	\$32 00
Size	No. 92
4 ft. 6 in.....	32 00
Size	No. 94
5 ft.....	32 00
Size	No. 96
5 ft. 6 in.....	35 00
Size	No. 98
6 ft.....	38 00

With 12 inch Rubber Tired Wheels, \$5.00 net, extra.



## HOSPITAL BATHS.

6 Inch Rubber Tire Wheels. Fitted at Back with Open Way Valve and Hose Connection for Draining.



**GALVANIZED STEEL—ENAMELED.**

### Description.

**Portable Hospital Baths.**

**GALVANIZED STEEL—ENAMELED.**

The iron trucks are securely attached, and the wheels fitted with rubber tires.

Hardwood rim, oak or cherry, with cabinet finish or nickle plated metal rim if wanted.

Regular size wheels, 6 in. in diameter, 12 in. wheels extra if wanted.

These tubs can be turned in their own length.

Outside finish light gray with gold bronze trimmings.

### DIMENSIONS.

Length outside rim, 4 ft; 4 ft. 6 in.; 5 ft; 5 ft. 6 in. and 6 ft. Width outside rim, 28 inches. Depth inside, 17½ inches. Height from floor with 6 inch wheels, 28½ in; with 12 in. wheels, 31½ inches.

### ORDER BY NUMBER.

## PRICE LIST.

### Galvanized Steel Hospital Baths—Six Inch Wheels.

Size	No.	80
4 ft.....	24	00
Size	No.	82
4 ft. 6 in.....	24	00
Size	No.	84
5 ft.....	24	50
Size	No.	86
5 ft. 6 in ...	25	00
Size	No.	88
6 ft.....	27	00

With Nickle Plated Rim add \$5.00 net, extra.  
With 12 inch Rubber Tired Wheels, \$5.00 net, extra.

